Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic D	istribution by	/ Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
16Th St Co	6,841	4.0	4.2	86.0	0.1	4.5	1.0	0.2
Adams Cty	465	83.2	0.2	9.5	0.2	0.0	6.0	0.9
Ashland Ct	551	79.5	0.0	3.3	5.8	0.7	10.7	0.0
Aurora	3,899	3.9	81.3	5.4	0.4	7.1	1.5	0.4
Barron Cty	1,092	84.0	3.6	8.7	0.8	0.5	1.4	1.1
Bayfield C	255	83.5	0.0	2.4	3.1	0.0	10.6	0.4
Beloit	1,985	39.8	17.4	37.5	0.1	0.9	3.9	0.5
Buffalo Ct	283	89.4	0.0	6.7	0.7	0.0	2.1	1.1
Burnett Ct	397	82.9	0.8	3.5	1.3	0.0	10.8	0.8
Calumet Ct	616	67.4	4.1	19.3	0.3	7.1	1.8	0.0
Chippewa C	1,364	90.0	0.8	3.1	0.8	1.0	3.6	0.7
Clark Cty	741	74.5	0.1	21.7	0.7	0.0	2.0	0.9
Columbia C	820	76.7	0.9	16.6	0.1	0.4	5.0	0.4
Crawford C	334	93.4	0.6	2.4	0.0	0.3	2.1	1.2
Cudahy	1,363	67.7	2.4	20.2	0.2	0.5	7.9	1.1
Dane Cty	2,849	34.5	11.9	38.9	0.4	4.0	10.0	0.3
Dodge Cty	1,230	63.3	1.1	29.1	0.3	0.8	5.0	0.4
Door Cty	453	78.8	2.4	14.6	0.9	0.7	2.2	0.4
Douglas Ct	1,169	80.8	1.2	3.1	1.8	0.5	12.2	0.4

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

* Percentages are not colored.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Page: Run Date: 8 / 24 / 07

		Comparis	on of Racial	and Ethnic [Distribution by	y Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dunn Cty	984	77.8	0.9	4.9	0.7	8.9	5.5	1.2
Eau Claire	2,246	65.7	0.9	8.3	0.4	10.9	12.9	0.9
Florence C	122	95.1	0.0	4.1	0.0	0.0	0.8	0.0
Fond Du La	1,891	63.5	3.1	23.4	0.0	3.6	6.2	0.1
Forest Cty	257	89.5	0.4	0.4	3.5	0.4	5.4	0.4
GLITC-Bad	123	0.0	0.0	0.0	100.0	0.0	0.0	0.0
GLITC-Bara	44	*	*	*	*	*	*	*
GLITC-BRF	124	6.5	0.8	4.8	87.9	0.0	0.0	0.0
GLITC-CEX	29	*	*	*	*	*	*	*
GLITC-LCO	176	0.6	0.0	0.0	96.0	0.0	3.4	0.0
GLITC-Mole	29	*	*	*	*	*	*	*
GLITC-Pete	274	2.2	0.4	0.0	89.8	0.0	2.9	4.7
GLITC-Pota	83	*	*	*	*	*	*	*
GLITC-Red	122	12.3	1.6	7.4	73.8	0.0	4.9	0.0
GLITC-St.C	162	4.3	0.0	2.5	52.5	0.0	40.7	0.0
GLITC-Stoc	129	9.3	0.0	11.6	65.9	0.8	10.9	1.6
Grant Cty	1,124	90.8	0.7	5.2	0.1	0.5	2.0	0.7
Green Cty	648	83.3	1.1	13.7	0.2	0.3	1.2	0.2
Green Lake	289	67.1	0.3	26.0	0.0	3.5	2.8	0.3



Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

* Percentages are not calculated if < 100 records are at a second period.</p> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic D	istribution by	/ Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Greenfield	754	61.7	4.0	21.8	0.4	2.3	8.9	1.1
Hlth & Nut	3,323	29.4	22.0	39.5	0.2	0.5	8.2	0.3
Iowa Cty	350	89.1	0.3	7.1	0.3	0.3	2.9	0.0
Iron Cty	105	92.4	1.9	1.0	0.0	0.0	3.8	1.0
Jackson Ct	553	79.2	0.7	9.0	8.5	0.5	0.9	1.1
Janesville	1,829	72.8	4.3	15.4	0.2	1.4	5.2	0.8
Jefferson	1,746	53.7	1.3	42.1	0.1	0.3	2.1	0.5
Juneau	826	88.1	0.1	5.4	0.4	1.2	4.6	0.1
Kenosha	3,972	36.9	17.1	39.1	0.1	0.7	5.7	0.4
Kewaunee C	299	74.9	1.7	18.7	0.0	0.0	4.3	0.3
La Crosse	2,264	67.3	3.0	3.9	0.4	15.2	9.8	0.4
Langlade	467	85.7	0.2	9.2	0.4	0.0	4.5	0.0
Lincoln	439	87.9	1.1	3.9	0.2	0.2	6.2	0.5
Madison WI	3,782	20.4	27.4	33.5	0.1	9.5	8.8	0.3
Manitowoc	1,498	60.0	1.3	20.9	0.4	10.6	5.7	1.1
Marathon	2,384	56.3	1.3	8.5	0.3	27.8	5.7	0.1
Marinette	1,074	94.1	0.3	2.6	0.7	0.6	1.5	0.3
Marquette	218	77.5	1.4	17.9	0.5	0.0	0.9	1.8
Menominee	563	0.5	0.0	10.7	74.6	0.0	12.6	1.6



Page:

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

* Percentages are not calculated if a 100 record. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic D	istribution by	/ Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
MilwaukeeJ	2,330	17.6	6.5	68.3	1.1	2.4	4.0	0.0
MilwaukeeK	2,381	1.1	93.2	2.8	0.0	0.2	2.6	0.1
MilwaukeeN	3,609	9.1	69.8	5.8	0.3	6.4	8.2	0.3
MilwaukMLK	3,152	3.3	85.0	7.0	0.1	0.7	3.5	0.4
Monroe Cou	957	79.2	1.6	15.6	0.7	0.5	1.9	0.5
N.E.W. Eas	2,932	33.2	3.9	54.4	1.4	3.9	2.7	0.4
N.E.W. Wes	2,817	55.3	5.8	16.9	3.6	12.7	5.5	0.2
Neenah	1,156	60.5	2.6	24.8	0.0	4.7	7.4	0.1
Oconto Cty	591	92.7	0.3	2.4	0.3	0.3	3.2	0.7
Oneida Cty	573	93.5	0.3	2.8	0.3	0.2	2.6	0.2
Oneida Tri	517	7.5	0.0	19.7	58.2	0.2	14.3	0.0
Oshkosh	1,356	67.0	4.4	9.2	0.4	11.2	7.6	0.1
Outagamie	2,559	54.6	2.0	22.2	0.9	14.7	5.3	0.3
Ozaukee	481	71.3	2.3	12.9	0.6	1.0	11.6	0.2
Pepin	102	85.3	0.0	6.9	2.9	0.0	4.9	0.0
Pierce Cty	703	85.2	2.0	5.4	0.1	0.4	5.4	1.4
Polk Cty	840	92.6	0.1	3.5	0.7	0.0	3.1	0.0
Portage Ct	1,165	68.2	0.9	12.7	0.6	14.1	3.1	0.4
Price Cty	457	91.9	0.2	1.3	0.7	3.7	1.8	0.4

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

* Percentages are references. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic D	istribution by	/ Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Racine Hea	1,527	15.3	37.0	40.9	0.4	0.9	4.9	0.7
Richland	312	89.4	0.3	8.3	0.3	0.0	1.3	0.3
Rusk Cty	443	86.2	2.0	2.9	0.0	0.2	7.9	0.7
Sauk Cty	1,237	79.5	1.8	16.6	0.6	0.2	1.2	0.1
Sawyer Cty	421	72.7	2.9	5.2	13.3	1.0	3.6	1.4
Seeds Of H	3,188	19.7	4.0	67.3	0.7	1.2	7.1	0.0
Shawano Ct	748	77.9	1.1	9.6	4.7	0.3	6.3	0.1
Sheboygan	2,166	46.5	2.4	28.5	0.0	17.7	4.7	0.2
St. Croix	1,055	80.5	2.2	8.8	0.4	3.1	4.4	0.7
SWCAP	261	80.8	0.4	17.2	0.0	0.0	1.5	0.0
Taylor Cty	438	87.7	0.0	8.0	0.0	0.0	4.1	0.2
Trempealea	760	70.3	0.0	24.9	0.4	0.1	3.6	0.8
Vernon Cou	659	87.1	0.6	7.9	0.3	0.2	3.6	0.3
Vilas Cty	221	86.4	1.4	8.1	2.3	0.0	1.4	0.5
Walworth C	1,895	43.1	1.0	51.4	1.2	0.6	2.7	0.1
Washburn C	419	88.5	0.0	4.3	0.7	1.0	5.0	0.5
Washington	1,296	74.7	2.8	15.8	0.2	0.3	5.7	0.5
Waukesha C	2,423	50.1	5.1	36.6	0.5	1.3	6.3	0.1
Waupaca Ct	787	85.5	0.1	11.2	0.1	0.3	2.3	0.5

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors. Percentages are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1) Wisconsin

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Page: Run Date: 8 / 24 / 07

		Comparis	on of Racial	and Ethnic I	Distribution by	y Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	/ trialyolo (o)	%	%	%	%	%	%	%
Waushara	470	52.8	0.2	44.3	0.0	0.0	0.9	1.9
Wee Care W	2,283	0.7	93.6	2.2	0.0	0.5	2.3	0.7
Wee Care W	3,534	6.4	79.9	4.7	0.1	5.2	2.9	0.8
Weecare	1,810	2.9	78.1	3.1	0.0	11.0	4.2	0.6
West Allis	1,167	60.8	4.8	21.8	0.6	1.1	10.3	0.7
Wood Cty	1,422	80.4	2.0	8.5	0.6	5.2	2.6	0.8
Unknown Clinics	44	*	*	*	*	*	*	*
Wisconsin	121,673	45.1	18.6	24.2	2.0	4.5	5.1	0.5
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

* Percentages are not calculated if < 100 records are at a second period.</p> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 8 / 24 / 07

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Comparis	son of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
16Th St Co	6,841	32.3	19.3	48.3
Adams Cty	465	35.9	20.2	43.9
Ashland Ct	551	30.3	22.5	47.2
Aurora	3,899	47.8	16.0	36.2
Barron Cty	1,092	40.2	17.8	42.0
Bayfield C	255	32.9	19.2	47.8
Beloit	1,985	40.3	18.1	41.6
Buffalo Ct	283	35.0	21.2	43.8
Burnett Ct	397	37.0	18.9	44.1
Calumet Ct	616	32.1	22.4	45.5
Chippewa C	1,364	37.0	18.3	44.7
Clark Cty	741	35.9	20.5	43.6
Columbia C	820	37.7	18.2	44.1
Crawford C	334	38.9	21.0	40.1
Cudahy	1,363	43.4	20.0	36.5
Dane Cty	2,849	37.5	21.7	40.8
Dodge Cty	1,230	37.6	19.3	43.1
Door Cty	453	33.3	21.6	45.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.



⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Compari	son of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Douglas Ct	1,169	34.6	18.9	46.5
Dunn Cty	984	36.3	17.7	46.0
Eau Claire	2,246	37.5	18.4	44.1
Florence C	122	30.3	17.2	52.5
Fond Du La	1,891	33.6	21.7	44.7
Forest Cty	257	33.9	14.4	51.8
GLITC-Bad	123	24.4	21.1	54.5
GLITC-Bara	44	*	*	*
GLITC-BRF	124	30.6	22.6	46.8
GLITC-CEX	29	*	*	*
GLITC-LCO	176	30.7	30.1	39.2
GLITC-Mole	29	*	*	*
GLITC-Pete	274	34.7	17.9	47.4
GLITC-Pota	83	*	*	*
GLITC-Red	122	34.4	18.9	46.7
GLITC-St.C	162	34.0	20.4	45.7
GLITC-Stoc	129	36.4	18.6	45.0
Grant Cty	1,124	34.6	20.6	44.8

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.



Page: Run Date:

8 / 24 / 07

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 8 / 24 / 07

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Comparis	son of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Green Cty	648	39.0	22.1	38.9
Green Lake	289	37.0	22.1	40.8
Greenfield	754	43.9	19.1	37.0
Hlth & Nut	3,323	39.2	20.0	40.8
Iowa Cty	350	44.0	18.0	38.0
Iron Cty	105	32.4	13.3	54.3
Jackson Ct	553	36.3	17.5	46.1
Janesville	1,829	43.1	18.2	38.7
Jefferson	1,746	37.1	19.9	43.0
Juneau	826	37.5	17.6	44.9
Kenosha	3,972	38.4	20.2	41.4
Kewaunee C	299	36.5	17.1	46.5
La Crosse	2,264	35.5	19.4	45.1
Langlade	467	33.6	24.6	41.8
Lincoln	439	37.1	18.2	44.6
Madison WI	3,782	35.5	22.8	41.7
Manitowoc	1,498	36.8	17.2	46.0
Marathon	2,384	35.9	21.1	43.1

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic							
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months			
	(3,4)	%	%	%			
Marinette	1,074	34.0	20.4	45.6			
Marquette	218	35.8	19.7	44.5			
Menominee	563	33.9	20.2	45.8			
MilwaukeeJ	2,330	29.6	22.5	47.9			
MilwaukeeK	2,381	30.2	22.6	47.2			
MilwaukeeN	3,609	37.5	21.5	41.0			
MilwaukMLK	3,152	35.2	20.7	44.1			
Monroe Cou	957	39.7	20.3	40.0			
N.E.W. Eas	2,932	31.2	22.0	46.8			
N.E.W. Wes	2,817	33.4	20.1	46.5			
Neenah	1,156	39.6	17.2	43.2			
Oconto Cty	591	40.3	15.1	44.7			
Oneida Cty	573	42.6	18.8	38.6			
Oneida Tri	517	31.7	22.2	46.0			
Oshkosh	1,356	40.5	18.4	41.1			
Outagamie	2,559	33.0	21.9	45.1			
Ozaukee	481	37.0	19.5	43.5			
Pepin	102	34.3	14.7	51.0			

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.



Page:

Run Date:

8 / 24 / 07

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic								
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months				
	(3,4)	%	%	%				
Pierce Cty	703	34.1	19.1	46.8				
Polk Cty	840	43.8	16.4	39.8				
Portage Ct	1,165	40.3	16.5	43.3				
Price Cty	457	30.6	18.2	51.2				
Racine Hea	1,527	36.4	17.3	46.3				
Richland	312	38.5	17.3	44.2				
Rusk Cty	443	31.8	16.0	52.1				
Sauk Cty	1,237	39.6	16.7	43.7				
Sawyer Cty	421	36.1	19.5	44.4				
Seeds Of H	3,188	31.6	23.3	45.1				
Shawano Ct	748	31.4	23.5	45.1				
Sheboygan	2,166	35.3	21.5	43.2				
St. Croix	1,055	40.3	19.1	40.7				
SWCAP	261	42.5	16.9	40.6				
Taylor Cty	438	32.0	21.2	46.8				
Trempealea	760	36.2	18.3	45.5				
Vernon Cou	659	34.0	20.3	45.7				
Vilas Cty	221	46.6	17.6	35.7				

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.



Page:

Run Date:

8 / 24 / 07

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic

Children Aged < 5 Years (2)

	Compar	ison of Age Distribu	tion by Clinic	
Clinic	Number Included in	0 - 11 Months	12 - 23 Months	24 - 59 Months
	Analysis (3,4)	%	%	%
Walworth C	1,895	40.2	19.2	40.6
Washburn C	419	34.6	20.8	44.6
Washington	1,296	36.1	22.4	41.5
Waukesha C	2,423	43.1	18.0	38.9
Waupaca Ct	787	39.5	19.1	41.4
Waushara	470	34.3	20.2	45.5
Wee Care W	2,283	34.2	20.6	45.2
Wee Care W	3,534	38.5	20.8	40.7
Weecare	1,810	39.4	20.3	40.3
West Allis	1,167	41.5	19.5	39.1
Wood Cty	1,422	40.1	18.6	41.4
Unknown Clinics	44	*	*	*
Wisconsin	121,673	36.7	19.9	43.3
Nation (Prior Year)	7,117,562	35.3	22.0	42.6



Page:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.

 ⁽⁴⁾ Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	Clinic	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16Th St Co	1,487	5.9 (7)	8.4 (37)	6,680	7.1 (91)	1.7 (9)	19.1 (90)	3,200	21.4 (80)	20.8 (81)	5,125	6.4 (37)
Adams Cty	104	11.5 (64)	5.8 (13)	457	5.7 (54)	3.5 (49)	15.3 (82)	205	16.1 (40)	16.6 (72)	324	7.7 (47)
Ashland Ct	123	5.7 (6)	8.9 (47)	540	6.7 (83)	5.7 (84)	9.6 (14)	252	7.5 (1)	7.1 (4)	433	6.0 (33)
Aurora	1,458	8.4 (35)	4.7 (4)	3,829	4.4 (27)	7.3 (92)	8.9 (9)	1,399	12.8 (10)	10.8 (27)	2,199	29.6 (90)
Barron Cty	293	7.2 (22)	10.2 (60)	1,060	6.2 (72)	2.1 (16)	12.5 (52)	441	17.7 (59)	13.2 (52)	725	5.7 (30)
Bayfield C	54	* *	* *	248	6.0 (62)	6.5 (90)	8.5 (5)	118	18.6 (67)	6.8 (3)	202	4.5 (20)
Beloit	541	11.6 (65)	7.4 (28)	1,897	6.6 (80)	2.8 (29)	13.7 (68)	793	17.5 (57)	13.7 (56)	1,315	9.3 (58)
Buffalo Ct	65	* *	* *	279	3.6 (11)	1.4 (5)	10.8 (30)	121	17.4 (55)	15.7 (70)	195	13.8 (78)
Burnett Ct	113	8.8 (41)	8.0 (33)	388	4.9 (35)	5.7 (84)	7.0 (1)	177	11.3 (7)	7.3 (7)	273	1.8 (3)
Calumet Ct	160	10.6 (61)	8.8 (46)	604	6.1 (67)	3.5 (49)	10.4 (22)	276	18.1 (63)	12.7 (45)	447	4.7 (25)
Chippewa C	342	7.6 (27)	8.5 (38)	1,352	4.9 (35)	4.0 (62)	9.7 (15)	595	14.3 (18)	9.4 (16)	1,005	2.8 (6)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 2 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Cty	179	12.3 (68)	6.7 (19)	725	5.5 (47)	3.0 (34)	16.0 (86)	315	15.9 (38)	20.6 (80)	530	11.1 (69)
Columbia C	197	9.6 (52)	8.6 (43)	811	6.7 (83)	3.6 (51)	14.1 (73)	357	15.7 (35)	17.1 (73)	575	3.7 (16)
Crawford C	86	* *	* *	329	6.7 (83)	3.3 (47)	13.4 (66)	135	15.6 (34)	11.1 (29)	235	9.8 (60)
Cudahy	389	9.3 (50)	8.7 (45)	1,329	5.3 (41)	4.7 (70)	10.3 (19)	489	14.1 (16)	12.5 (44)	914	7.4 (45)
Dane Cty	754	7.3 (23)	9.5 (53)	2,757	5.4 (44)	3.2 (39)	10.6 (26)	1,148	15.4 (29)	12.3 (39)	1,990	8.2 (49)
Dodge Cty	309	9.4 (51)	7.4 (28)	1,193	4.4 (27)	5.1 (79)	8.9 (9)	526	11.0 (6)	8.6 (11)	846	5.9 (32)
Door Cty	110	1.8 (1)	8.2 (36)	448	3.3 (9)	3.1 (36)	8.7 (6)	210	18.6 (67)	12.4 (41)	333	4.5 (20)
Douglas Ct	250	5.2 (3)	9.6 (55)	1,159	4.1 (18)	4.3 (65)	11.6 (40)	540	18.1 (63)	13.7 (56)	797	13.0 (76)
Dunn Cty	221	7.7 (29)	8.6 (43)	964	6.2 (72)	4.7 (70)	12.7 (56)	446	14.6 (21)	14.3 (64)	684	3.4 (13)
Eau Claire	558	6.1 (10)	9.5 (53)	2,208	5.8 (56)	2.0 (15)	11.5 (37)	964	14.5 (20)	11.9 (36)	1,653	11.0 (67)
Florence C	23	* *	* *	117	6.8 (86)	1.7 (9)	10.3 (19)	61	* *	* *	90	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fond Du La	458	10.5 (58)	5.7 (10)	1,828	6.0 (62)	2.7 (26)	8.8 (8)	833	14.9 (24)	8.8 (12)	1,345	8.8 (53)
Forest Cty	58	* *	* *	251	5.6 (50)	3.6 (51)	13.1 (62)	124	15.3 (26)	11.3 (31)	194	5.2 (27)
GLITC-Bad	23	* *	* *	118	3.4 (10)	1.7 (9)	21.2 (91)	63	* *	* *	90	* *
GLITC-Bara	11	* *	* *	42	* *	* *	* *	17	* *	* *	27	* *
GLITC-BRF	30	* *	* *	122	4.1 (18)	0.8 (1)	27.0 (96)	57	* *	* *	90	* *
GLITC-CEX	10	* *	* *	28	* *	* *	* *	14	* *	* *	18	* *
GLITC-LCO	47	* *	* *	174	4.0 (15)	2.3 (17)	13.8 (70)	71	* *	* *	121	10.7 (65)
GLITC-Mole	5	* *	* *	24	* *	* *	* *	10	* *	* *	23	* *
GLITC-Pete	68	* *	* *	250	4.0 (15)	2.4 (21)	23.6 (94)	109	23.9 (82)	30.3 (85)	194	7.2 (43)
GLITC-Pota	19	* *	* *	77	* *	* *	* *	32	* *	* *	54	* *
GLITC-Red	31	* *	* *	112	9.8 (96)	8.9 (95)	22.3 (93)	55	* *	* *	80	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





Page: 4 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Δ	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% □ ≥95th (Rank)	Number	% (Rank)
GLITC-St.C	34	* *	* *	151	2.0 (1)	4.6 (68)	23.8 (95)	66	* *	* *	118	11.9 (73)
GLITC-Stoc	28	* *	* *	127	2.4 (4)	0.8 (1)	15.7 (85)	53	* *	* *	94	* *
Grant Cty	256	6.6 (14)	10.9 (67)	1,112	3.1 (6)	4.9 (75)	9.8 (16)	498	14.7 (22)	12.7 (45)	833	5.3 (28)
Green Cty	167	10.8 (62)	10.8 (66)	629	7.5 (93)	2.9 (31)	17.5 (87)	244	23.0 (81)	24.2 (84)	431	6.3 (36)
Green Lake	79	* *	* *	275	4.0 (15)	5.8 (86)	14.5 (77)	112	13.4 (12)	13.4 (53)	190	11.1 (69)
Greenfield	229	9.6 (52)	9.2 (49)	734	6.5 (78)	4.9 (75)	7.8 (2)	283	15.5 (30)	7.8 (8)	488	10.2 (63)
Hlth & Nut	928	8.4 (35)	6.9 (20)	3,234	6.8 (86)	2.4 (21)	14.8 (79)	1,330	17.7 (59)	15.6 (69)	2,226	6.2 (35)
Iowa Cty	97	* *	* *	343	4.7 (32)	3.2 (39)	15.5 (84)	129	20.9 (79)	19.4 (78)	231	6.9 (39)
Iron Cty	20	* *	* *	99	* *	* *	* *	54	* *	* *	80	* *
Jackson Ct	128	4.7 (2)	10.2 (60)	548	4.2 (22)	3.6 (51)	10.6 (26)	249	24.9 (84)	9.2 (14)	387	9.8 (60)
Janesville	536	9.1 (47)	9.9 (57)	1,776	6.0 (62)	3.8 (60)	12.0 (46)	683	15.5 (30)	10.8 (27)	1,164	8.6 (52)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 5 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸	
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	407	6.1 (10)	7.6 (31)	1,699	3.1 (6)	3.2 (39)	12.4 (50)	731	15.3 (26)	18.1 (77)	1,237	5.4 (29)
Juneau	207	8.7 (40)	9.2 (49)	807	5.8 (56)	3.0 (34)	13.3 (64)	362	20.2 (76)	10.2 (21)	579	7.3 (44)
Kenosha	1,091	9.0 (46)	6.1 (15)	3,844	7.3 (92)	3.2 (39)	14.5 (77)	1,631	16.9 (48)	15.2 (68)	2,670	22.0 (86)
Kewaunee C	67	* *	* *	298	5.7 (54)	1.0 (4)	15.1 (80)	137	17.5 (57)	17.5 (74)	222	9.0 (56)
La Crosse	566	7.6 (27)	10.2 (60)	2,194	6.8 (86)	3.6 (51)	11.5 (37)	1,000	19.0 (71)	14.2 (63)	1,678	7.0 (40)
Langlade	113	8.8 (41)	12.4 (71)	454	4.8 (34)	1.5 (6)	12.6 (54)	200	15.5 (30)	9.5 (17)	353	1.4 (2)
Lincoln	125	6.4 (13)	11.2 (68)	435	6.4 (76)	1.6 (7)	14.3 (74)	194	17.0 (51)	12.9 (50)	309	1.3 (1)
Madison WI	1,017	8.6 (38)	7.7 (32)	3,673	5.6 (50)	2.5 (23)	13.9 (71)	1,567	13.7 (13)	10.5 (24)	2,666	11.6 (72)
Manitowoc	327	8.0 (34)	8.0 (33)	1,466	5.8 (56)	1.8 (13)	13.0 (60)	661	19.4 (74)	14.7 (66)	1,079	10.7 (65)
Marathon	598	6.0 (8)	5.7 (10)	2,339	8.8 (95)	2.3 (17)	12.9 (59)	1,018	17.0 (51)	12.3 (39)	1,747	3.0 (10)
Marinette	242	6.2 (12)	10.3 (63)	1,042	5.1 (38)	3.7 (57)	11.0 (33)	478	9.2 (2)	8.2 (9)	800	2.5 (5)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 6 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	Anemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marquette	51	* *	* *	209	2.4 (4)	9.1 (96)	9.1 (11)	90	* *	* *	150	11.3 (71)
Menominee	144	9.7 (55)	9.0 (48)	537	2.2 (2)	1.7 (9)	22.0 (92)	257	24.1 (83)	21.0 (82)	401	3.0 (10)
MilwaukeeJ	496	7.5 (25)	7.3 (25)	2,264	4.2 (22)	4.3 (65)	11.7 (42)	1,097	15.8 (37)	11.7 (35)	1,779	14.3 (80)
MilwaukeeK	538	13.4 (72)	4.8 (5)	2,310	5.2 (40)	6.1 (88)	10.4 (22)	1,104	16.5 (44)	11.1 (29)	1,775	16.7 (84)
MilwaukeeN	1,016	11.8 (67)	5.5 (8)	3,504	6.0 (62)	5.8 (86)	11.1 (35)	1,450	16.4 (42)	11.9 (36)	2,501	13.1 (77)
MilwaukMLK	761	12.5 (70)	3.8 (3)	3,062	6.3 (74)	5.6 (82)	10.7 (28)	1,364	13.9 (15)	8.9 (13)	2,272	23.2 (87)
Monroe Cou	257	7.8 (32)	7.0 (22)	928	6.6 (80)	3.2 (39)	15.1 (80)	386	14.8 (23)	12.4 (41)	643	2.8 (6)
N.E.W. Eas	687	6.8 (17)	7.3 (25)	2,857	4.7 (32)	2.9 (31)	13.1 (62)	1,343	19.1 (72)	17.6 (75)	2,176	4.6 (22)
N.E.W. Wes	707	8.6 (38)	8.5 (38)	2,730	5.5 (47)	6.8 (91)	10.5 (25)	1,282	9.7 (3)	6.1 (1)	2,043	7.1 (42)
Neenah	283	8.8 (41)	7.1 (24)	1,137	5.4 (44)	2.5 (23)	13.7 (68)	492	15.7 (35)	14.0 (60)	802	15.1 (83)
Oconto Cty	153	8.5 (37)	5.2 (7)	578	6.1 (67)	4.2 (63)	18.7 (89)	260	18.8 (70)	19.6 (79)	412	7.8 (48)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 7 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Oneida Cty	143	9.1 (47)	7.0 (22)	568	4.6 (31)	4.8 (74)	7.9 (3)	225	16.0 (39)	7.1 (4)	401	8.2 (49)
Oneida Tri	128	5.5 (4)	18.0 (73)	508	3.7 (13)	0.8 (1)	17.5 (87)	230	17.0 (51)	21.3 (83)	371	2.2 (4)
Oshkosh	343	11.4 (63)	8.5 (38)	1,328	6.5 (78)	3.2 (39)	15.3 (82)	548	16.8 (47)	12.8 (48)	950	13.8 (78)
Outagamie	656	10.5 (58)	7.3 (25)	2,447	6.4 (76)	4.9 (75)	12.3 (49)	1,145	18.3 (66)	15.0 (67)	1,670	9.1 (57)
Ozaukee	130	7.7 (29)	8.5 (38)	468	6.6 (80)	3.6 (51)	12.8 (58)	196	13.8 (14)	10.7 (25)	329	7.0 (40)
Pepin	27	* *	* *	101	6.9 (89)	7.9 (94)	13.9 (71)	50	* *	* *	72	* *
Pierce Cty	160	5.6 (5)	5.6 (9)	690	5.5 (47)	2.6 (25)	11.0 (33)	326	16.6 (46)	11.3 (31)	515	9.7 (59)
Polk Cty	247	8.9 (45)	5.7 (10)	823	4.3 (25)	4.7 (70)	8.0 (4)	332	18.1 (63)	6.6 (2)	566	8.8 (53)
Portage Ct	297	6.7 (16)	10.1 (59)	1,142	6.3 (74)	3.1 (36)	11.7 (42)	483	15.3 (26)	13.0 (51)	799	4.6 (22)
Price Cty	81	* *	* *	450	3.8 (14)	2.9 (31)	10.4 (22)	225	14.2 (17)	10.7 (25)	361	3.6 (14)
Racine Hea	378	7.4 (24)	6.3 (16)	1,486	4.4 (27)	3.2 (39)	12.4 (50)	674	14.4 (19)	11.6 (34)	1,101	14.8 (82)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

(3,4)**Comparison of Growth and Anemia Indicators by Clinic** Birthweight (5) Height and Weight Anemia Under-Over-> 2 Yrs Low Hb/Hct Low High Short Stature weight weight Over-(8) weight (7) (6) (7) (7) % % % % % % % Number % Clinic Number Number Number <2500 g >4000 g<5th <5th >95th 85th- <95th >95th (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) * * * * Richland 83 308 4.9 (35) 2.3 (17) 11.7 (42) 136 25.7 (85) 14.0 (60) 213 10.3 (64) * * Rusk Ctv 88 434 1.6 (7) 12.7 (56) 224 16.5 (44) 13.4 (53) 343 5.3 (41) 4.4 (18) 10.0 (58) 530 19.2 (73) 13.8 (58) 8.8 (53) Sauk Cty 301 6.6 (14) 1.207 6.0 (62) 2.3 (17) 12.1 (47) 863 Sawyer Cty 100 6.0(8)12.0 (69) 414 4.3 (25) 4.3 (65) 8.7 (6) 177 19.8 (75) 9.6 (18) 309 3.6 (14) Seeds Of H 810 6.9 (18) 8.5 (38) 3.126 3.6 (11) 4.6 (68) 10.3 (19) 1.421 17.7 (59) 14.1 (62) 2.307 14.4 (81) 725 547 184 9.8 (56) 320 10.9 (5) Shawano Ct 9.8 (56) 4.1 (18) 5.2 (80) 12.1 (47) 7.2 (6) 5.1 (26) 557 7.0 (19) 6.6 (18) 2.119 5.6 (50) 5.6 (82) 10.8 (30) 931 16.3 (41) 12.4 (41) 1.552 4.4 (18) Sheboygan St. Croix 282 9.6 (52) 10.6 (65) 1.026 6.1 (67) 2.7 (26) 11.3 (36) 414 17.9 (62) 10.4 (22) 719 2.8 (6) * * **SWCAP** 64 252 3.2 (8) 3.2 (39) 11.9 (45) 94 182 11.0 (67) **Taylor Cty** 89 430 2.3 (3) 5.3 (81) 10.9 (32) 203 11.3 (7) 12.8 (48) 343 3.2 (12) Trempealea 182 7.1 (21) 12.1 (70) 728 5.4 (44) 7.3 (92) 14.4 (76) 337 20.5 (77) 13.9 (59) 519 11.9 (73)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page:

Page: 9 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Vernon Cou	129	11.6 (65)	16.3 (72)	651	5.1 (38)	3.7 (57)	13.5 (67)	293	17.4 (55)	16.0 (71)	485	5.8 (31)
Vilas Cty	71	* *	* *	216	4.2 (22)	1.9 (14)	12.5 (52)	77	* *	* *	130	4.6 (22)
Walworth C	487	8.8 (41)	8.0 (33)	1,850	5.9 (60)	3.1 (36)	11.5 (37)	756	17.1 (54)	14.3 (64)	1,269	7.6 (46)
Washburn C	105	10.5 (58)	10.5 (64)	410	5.6 (50)	6.1 (88)	10.0 (17)	190	11.6 (9)	10.0 (19)	281	2.8 (6)
Washington	355	9.9 (57)	6.5 (17)	1,256	6.1 (67)	5.0 (78)	10.7 (28)	527	16.9 (48)	8.5 (10)	907	8.3 (51)
Waukesha C	676	7.7 (29)	7.5 (30)	2,378	5.8 (56)	2.8 (29)	13.3 (64)	931	16.9 (48)	13.6 (55)	1,569	6.1 (34)
Waupaca Ct	218	9.2 (49)	6.9 (20)	772	4.1 (18)	3.4 (48)	13.0 (60)	324	10.5 (4)	12.7 (45)	516	4.1 (17)
Waushara	102	7.8 (32)	5.9 (14)	441	4.5 (30)	3.6 (51)	14.3 (74)	198	20.7 (78)	17.7 (76)	312	9.9 (62)
Wee Care W	557	13.3 (71)	3.6 (1)	2,206	7.9 (94)	4.2 (63)	12.6 (54)	1,017	15.2 (25)	12.0 (38)	1,515	23.2 (87)
Wee Care W	895	12.3 (68)	5.1 (6)	3,455	6.1 (67)	3.7 (57)	9.2 (12)	1,401	13.3 (11)	9.3 (15)	2,382	19.4 (85)
Weecare	478	13.6 (73)	3.6 (1)	1,770	6.9 (89)	3.8 (60)	10.1 (18)	722	15.5 (30)	10.0 (19)	1,257	28.5 (89)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 10 Run Date: 8 / 24 / 07

		Cor	nparison	of Grow	th and A	Anemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic Most Allia	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n ≥95th (Rank)	Number	% (Rank)
West Allis	334	7.5 (25)	9.3 (51)	1,151	5.3 (41)	4.7 (70)	9.2 (12)	451	18.6 (67)	10.4 (22)	751	12.0 (75)
Wood Cty	371	7.0 (19)	9.4 (52)	1,378	5.9 (60)	2.7 (26)	11.6 (40)	581	16.4 (42)	11.4 (33)	945	6.8 (38)
Unknown Clinics	0	* *	* *	39	* *	* *	* *	20	* *	* *	32	* *
Wisconsin	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,480	6 6.4	4.8	13.9	2,869,07	5 16.1	14.7	4,381,087	7 13.6

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

2006 Pediatric Nutrition Surveillance (1) Wisconsin

Surveillance (1) Run Date:

(2)

Page:

8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

			Breastfe	•				Exclu	sive B	reastfeedi (6)	ng	<2 Hou Viewin (king in sehold	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea Le Mor	% stfed at ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		% ank)
16Th St Co	1,496	84.6 (1)	760	45.8 (1)	1,095	25.4 (1)	515	12.0	(16)	621	8.4 (9)	3,490	80.9 (48)	6,681	•	(9)
Adams Cty	104	59.6 (50)	58	* *	61	* *	31	*	*	50	* *	216	84.3 (30)	454		(96)
Ashland Ct	123	69.1 (20)	60	* *	81	* *	31	*	*	48	* *	286	88.5 (10)	538	13.2	(52)
Aurora	1,417	39.7 (73)	331	15.7 (41)	495	8.1 (49)	230	5.2	(27)	271	1.8 (32)	1,514	85.7 (20)	3,834	19.2	(76)
Barron Cty	301	64.5 (38)	115	24.3 (23)	153	9.2 (41)	79	*	*	79	* *	483	82.2 (37)	1,042	9.1	(19)
Bayfield C	54	* *	29	* *	31	* *	19	*	*	22	* *	129	78.3 (59)	252	11.9	(42)
Beloit	543	55.2 (62)	234	19.2 (38)	283	14.5 (14)	128	4.7	(30)	149	2.7 (30)	852	89.9 (6)	1,935	10.2	(29)
Buffalo Ct	65	* *	22	* *	36	* *	18	*	*	13	* *	134	85.8 (19)	274	10.2	(29)
Burnett Ct	113	77.0 (3)	36	* *	55	* *	27	*	*	23	* *	185	94.6 (1)	384	18.0	(71)
Calumet Ct	161	62.7 (42)	53	* *	86	* *	41	*	*	42	* *	297	82.5 (36)	608	9.9	(27)
Chippewa C	341	65.7 (33)	132	22.7 (28)	180	9.4 (40)	74	*	*	92	* *	642	86.1 (17)	1,353	11.2	(35)
Clark Cty	179	68.7 (24)	91	* *	111	6.3 (52)	67	*	*	80	* *	347	83.9 (31)	734	12.3	(47)
Columbia C	197	68.5 (25)	98	* *	103	8.7 (43)	75	*	*	65	* *	381	81.1 (46)	815	13.0	(50)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) Children ages 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



2006 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date:

8 / 24 / 07

2

(2)

			Breastfe (!	eding 5)				Exclus	sive B	reastfeed (6)	ing	≤2 Hou Viewin (king in sehold	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Breas A Lea 3 Mor	stfed t ast s oths	Number	8 Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		ank)
Crawford C	87	(nank)	34	(naiik) 	49	(nairk) * *	21	(na *	*	24	* *	148	84.5 (28)	330	10.0	
					201		99	*	*							. ,
Cudahy	390	59.0 (52)	153	21.6 (32)		9.0 (42)				104	5.8 (21)	542	76.9 (68)	1,339	23.5	
Dane Cty	756	72.8 (9)	321	40.8 (3)	416	21.2 (4)	238	15.1	(9)	229	10.5 (3)	1,234	78.1 (62)	2,801	7.7	(9)
Dodge Cty	317	70.7 (13)	134	31.3 (8)	146	17.1 (7)	113	24.8	(1)	106	17.9 (1)	557	85.5 (22)	1,208	9.1	(19)
Door Cty	109	65.1 (36)	43	* *	79	* *	31	*	*	36	* *	220	83.6 (32)	445	10.6	(33)
Douglas Ct	249	67.5 (28)	117	29.9 (12)	159	13.8 (19)	85	*	*	99	* *	575	92.2 (2)	1,156	13.7	(58)
Dunn Cty	224	68.8 (23)	100	23.0 (26)	123	10.6 (35)	73	*	*	77	* *	479	76.0 (71)	956	7.5	(7)
Eau Claire	562	69.0 (21)	232	24.1 (25)	353	7.6 (51)	168	14.9	(10)	193	7.3 (13)	1,034	81.3 (42)	2,195	9.7	(22)
Florence C	23	* *	12	* *	16	* *	8	*	*	9	* *	63	* *	118	17.8	(70)
Fond Du La	457	66.7 (31)	198	28.8 (14)	295	11.5 (30)	137	21.2	(3)	160	10.0 (5)	903	84.6 (26)	1,853	13.3	(54)
Forest Cty	58	* *	22	* *	28	* *	18	*	*	18	* *	144	72.9 (80)	254	24.8	(94)
GLITC-Bad	23	* *	11	* *	18	* *	3	*	*	5	* *	70	* *	123	20.3	(83)
GLITC-Bara	11	* *	3	* *	3	* *	2	*	*	2	* *	19	* *	44	*	*

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 3 Run Date:

(2)

8 / 24 / 07

			Breastfe	eding 5)				Exclusive E	Breastfeedi (6)	ing	≤2 Hou Viewin (°			king in sehold	
Clinic	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	Breastfed At Least 6 Months	Number	%	Number		%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		•	ank)
GLITC-BRF	30	* *	11	* *	18	* *	8	* *	10	* *	64	* *	123	18.7	(75)
GLITC-CEX	10	* *	2	* *	2	* *	5	* *	2	* *	14	* *	29	*	*
GLITC-LCO	46	* *	16	* *	36	* *	11	* *	14	* *	74	* *	169	14.2	(61)
GLITC-Mole	5	* *	5	* *	4	* *	3	* *	4	* *	14	* *	29	*	*
GLITC-Pete	69	* *	26	* *	41	* *	14	* *	20	* *	124	76.6 (69)	258	19.4	(78)
GLITC-Pota	20	* *	6	* *	10	* *	6	* *	5	* *	38	* *	83	*	*
GLITC-Red	30	* *	9	* *	20	* *	6	* *	5	* *	62	* *	120	13.3	(54)
GLITC-St.C	31	* *	20	* *	30	* *	10	* *	13	* *	77	* *	149	15.4	(63)
GLITC-Stoc	28	* *	8	* *	15	* *	5	* *	5	* *	64	* *	124	13.7	(58)
Grant Cty	255	59.2 (51)	124	26.6 (19)	163	12.9 (22)	53	* *	70	* *	542	89.1 (7)	1,113	10.3	(32)
Green Cty	170	56.5 (60)	71	* *	104	14.4 (15)	47	* *	62	* *	276	87.0 (15)	628	19.3	(77)
Green Lake	80	* *	29	* *	31	* *	13	* *	18	* *	124	75.0 (74)	274	13.1	(51)
Greenfield	231	62.3 (44)	73	* *	102	10.8 (33)	52	* *	51	* *	300	78.3 (59)	740	17.2	(69)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date:

(2)

8 / 24 / 07

			Breastfe (!	eding 5)				Exclu	sive B	reastfeedi (6)	ng	≤2 Hou Viewin (Smoking in Household		
Clinic	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas A Lea Mor	t ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number		%
		(Rank)		(Rank)		(Rank)		(Ra			(Rank)		(Rank)		`	ank)
Hlth & Nut	932	58.4 (55)	330	23.0 (26)	433	11.3 (31)	225	10.2	(19)	262	5.7 (22)	1,433	75.2 (73)	3,214	11.9	(42)
Iowa Cty	99	* *	49	* *	51	* *	33	*	*	42	* *	138	81.2 (44)	338	11.5	(38)
Iron Cty	21	* *	15	* *	8	* *	10	*	*	8	* *	59	* *	101	6.9	(6)
Jackson Ct	128	69.5 (17)	68	* *	81	* *	31	*	*	38	* *	269	88.1 (14)	547	13.5	(57)
Janesville	537	54.2 (64)	174	22.4 (30)	264	8.7 (43)	108	14.8	(11)	109	6.4 (16)	739	86.9 (16)	1,798	16.5	(68)
Jefferson	408	69.6 (15)	261	26.1 (20)	246	15.4 (9)	172	9.9	(20)	197	10.2 (4)	804	83.5 (33)	1,708	11.2	(35)
Juneau	205	68.3 (26)	102	28.4 (15)	110	11.8 (26)	71	*	*	88	* *	392	84.9 (24)	803	21.9	(88)
Kenosha	1,096	56.3 (61)	360	20.8 (35)	549	8.7 (43)	271	10.7	(18)	268	6.7 (15)	1,744	81.3 (42)	3,845	18.4	(74)
Kewaunee C	67	* *	31	* *	40	* *	19	*	*	22	* *	152	74.3 (75)	299	9.7	(22)
La Crosse	561	71.5 (11)	241	32.4 (6)	295	13.9 (18)	157	15.3	(8)	167	9.0 (7)	1,089	84.8 (25)	2,246	5.3	(2)
Langlade	114	54.4 (63)	50	* *	81	* *	33	*	*	35	* *	219	80.4 (49)	464	24.4	(92)
Lincoln	123	58.5 (54)	39	* *	37	* *	33	*	*	27	* *	211	85.3 (23)	437	20.8	(85)
Madison WI	1,011	76.1 (4)	426	45.8 (1)	578	24.2 (2)	287	13.2	(14)	323	14.6 (2)	1,682	88.5 (10)	3,717	8.4	(15)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date:

8 / 24 / 07

(2)

	Con	nparison	of Bre	astfeedi	ng, TV	Viewing,	and S	Smok	ing	in Hous		/ Clinic				
			Breastfe	•				Exclus	sive B	reastfeedir (6)	ng	≤2 Hou Viewin (Smoking in Household		
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas At Lea 3 Mon	stfed : ast ths	Number	% Breastfed At Least 6 Months	Number	% (Darda)	Number	% /Par	
		(Rank)		(Rank)		(Rank)		(Rai	,		(Rank)		(Rank)		(Rar	,
Manitowoc	328	60.4 (46)	146	22.6 (29)	219	13.2 (20)	97	*	*	126	5.6 (23)	719	73.2 (78)	1,454	19.7	(80)
Marathon	596	52.5 (66)	274	17.2 (39)	331	10.9 (32)	168	11.9	(17)	171	6.4 (16)	1,094	79.1 (55)	2,363	10.2	(29)
Marinette	239	47.7 (70)	104	22.1 (31)	166	9.6 (39)	67	*	*	86	* *	520	84.4 (29)	1,058	19.4	(78)
Marquette	52	* *	18	* *	30	* *	10	*	*	11	* *	99	* *	209	14.8	(62)
Menominee	143	65.7 (33)	55	* *	82	* *	27	*	*	42	* *	275	89.1 (7)	538	14.1	(60)
MilwaukeeJ	502	60.0 (48)	236	28.0 (17)	363	13.2 (20)	128	7.0	(24)	155	5.2 (25)	1,185	70.9 (83)	2,286	16.2	(66)
MilwaukeeK	545	42.8 (71)	218	11.5 (46)	367	8.2 (47)	114	6.1	(25)	139	0.7 (35)	1,171	60.1 (86)	2,339	24.4	(92)
MilwaukeeN	1,021	42.5 (72)	351	13.4 (44)	538	8.2 (47)	221	5.0	(28)	209	3.3 (29)	1,561	67.7 (84)	3,556	20.4	(84)
MilwaukMLK	766	53.7 (65)	309	14.6 (43)	469	8.3 (46)	177	7.9	(23)	182	1.1 (34)	1,452	67.1 (85)	3,027	31.0	(95)
Monroe Cou	270	69.3 (19)	90	* *	137	11.7 (27)	63	*	*	66	* *	411	81.0 (47)	927	12.5	(48)
N.E.W. Eas	682	67.0 (29)	281	27.8 (18)	487	18.1 (5)	196	5.6	(26)	219	4.1 (27)	1,459	77.9 (63)	2,914	5.8	(3)
N.E.W. Wes	720	58.3 (56)	298	25.5 (21)	407	12.8 (23)	178	15.7	(7)	205	6.8 (14)	1,382	78.9 (56)	2,764	11.9	(42)
Neenah	284	64.1 (39)	128	24.2 (24)	156	7.7 (50)	106	16.0	(6)	112	8.9 (8)	525	79.8 (52)	1,144	21.5	(86)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 - Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



2006 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 8 / 24 / 07 Run Date:

(2)

		nparison								(4,5))					
			Breastfe (eeding 5)				Exclu	sive B	reastfeedii (6)	ng	<2 Hou Viewin (Smoking in Household		
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A	t ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		% ank)
Occupto Ctv	151		57	* *	68	* *	49	*	*	48	* *	277	. ,	584		
Oconto Cty		49.0 (69)											76.2 (70)			(82)
Oneida Cty	143	61.5 (45)	63	* *	85	* *	47	*	*	54	* *	237	91.6 (3)	572	8.2	(14)
Oneida Tri	127	66.9 (30)	41	* *	86	* *	29	*	*	28	* *	253	77.1 (67)	517	16.4	(67)
Oshkosh	345	57.1 (58)	156	21.2 (33)	177	10.7 (34)	95	*	*	114	1.8 (32)	590	79.8 (52)	1,317	11.5	(38)
Outagamie	665	65.1 (36)	226	24.8 (22)	364	9.9 (38)	191	16.2	(5)	186	5.9 (19)	1,217	77.2 (66)	2,510	8.8	(16)
Ozaukee	130	74.6 (6)	43	* *	66	* *	36	*	*	41	* *	221	76.0 (71)	461	9.8	(26)
Pepin	25	* *	7	* *	12	* *	4	*	*	5	* *	53	* *	102	8.8	(16)
Pierce Cty	160	63.1 (41)	63	* *	90	* *	50	*	*	47	* *	346	88.4 (13)	679	9.7	(22)
Polk Cty	248	73.8 (7)	98	* *	115	14.8 (12)	69	*	*	74	* *	349	78.8 (57)	828	13.2	(52)
Portage Ct	297	60.3 (47)	107	36.4 (4)	124	21.8 (3)	84	*	*	79	* *	535	88.6 (9)	1,150	4.8	(1)
Price Cty	81	* *	46	* *	60	* *	18	*	*	28	* *	247	82.2 (37)	453	15.5	(64)
Racine Hea	379	50.1 (68)	146	19.9 (37)	203	12.3 (24)	86	*	*	86	* *	731	73.7 (76)	1,498	13.4	(56)

82

Richland

38

16

27

143

78.3 (59)

311

9.0 (18)

35



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1) Wisconsin

ion Surveillance (1) Run Date:

Page:

(2)

8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing	and s	Smok	king	in Hous	sehold by	Clinic				
			Breastfe	•				Exclu	sive B	reastfeedi (6)	ng		urs TV ng/Day (7)	Smoking in Household		
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	Brea A Le	t ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		ank)
Rusk Cty	88	* *	41	* *	46	* *	23	*	*	31	* *	243	86.0 (18)	438	18.3	(72)
Sauk Cty	300	74.7 (5)	148	31.8 (7)	160	16.3 (8)	119	21.0	(4)	119	9.2 (6)	572	91.6 (3)	1,222	47.4	(97)
Sawyer Cty	100	68.0 (27)	44	* *	48	* *	27	*	*	31	* *	197	77.7 (64)	411	12.2	(46)
Seeds Of H	812	73.4 (8)	300	28.3 (16)	512	11.7 (27)	192	9.9	(20)	233	4.7 (26)	1,537	81.7 (40)	3,160	9.7	(22)
Shawano Ct	184	58.2 (57)	77	* *	132	14.4 (15)	43	*	*	62	* *	350	85.7 (20)	746	11.9	(42)
Sheboygan	557	63.2 (40)	238	30.3 (11)	355	14.4 (15)	175	12.6	(15)	201	5.5 (24)	998	77.7 (64)	2,157	11.0	(34)
St. Croix	284	71.5 (11)	123	30.9 (9)	149	14.8 (12)	99	*	*	101	5.9 (19)	445	73.0 (79)	1,016	7.6	(8)
SWCAP	63	* *	31	* *	32	* *	21	*	*	28	* *	113	79.6 (54)	259	7.7	(9)
Taylor Cty	87	* *	43	* *	65	* *	16	*	*	28	* *	216	81.9 (39)	438	23.7	(90)
Trempealea	180	69.4 (18)	80	* *	89	* *	50	*	*	61	* *	362	90.6 (5)	748	6.7	(4)
Vernon Cou	129	69.0 (21)	71	* *	92	* *	44	*	*	50	* *	323	88.5 (10)	647	7.9	(13)
Vilas Cty	70	* *	22	* *	26	* *	14	*	*	18	* *	89	* *	219	15.5	(64)
Walworth C	490	77.6 (2)	234	34.6 (5)	259	15.1 (10)	176	23.3	(2)	200	6.0 (18)	810	81.5 (41)	1,854	6.8	(5)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1) Wisconsin

Page:

(2)

Run Date:

8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (5) (7) Clinic Number % Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 12 6 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) Washburn C 105 48 56 33 39 201 84.6 (26) 411 72.4 (10) 7.8 (12) 354 70.1 (14) 133 231 12.1 (25) 105 570 83.5 (33) 1,268 Washington 30.8 (10) 14.3 (13) 119 7.6 (11) 11.8 (41) 677 238 Waukesha C 69.6 (15) 309 29.4 (13) 318 17.6 (6) 14.7 (12) 264 8.0 (10) 1.002 80.2 (50) 2.379 9.3 (21) Waupaca Ct 217 59.0 (52) 82 100 10.0 (37) 51 63 346 82.9 (35) 767 19.7 (80) * * * 51 26 31 Waushara 105 66.7 (31) 60 211 71.1 (82) 429 11.4 (37)

121

215

89

80

97

8.396

(28)

(22)

5.0

8.8

13.7

147

294

147

79

107

9.479

1.090

1,528

776

489

625

20

55.813

2.0 (31)

3.7(28)

0.7(35)

7.5 (12)

7.0

71.5 (81)

79.9 (51)

81.2 (44)

73.6 (77)

78.4 (58)

80.1

2.239

3,481

1,800

1,139

1,382

119.286 13.9

33

23.8 (91)

12.6 (49)

21.6 (87)

18.3 (72)

11.7 (40)

Reporting period is January 1 through December 31.

559

888

472

330

372

31.071

Wee Care W

Wee Care W

Weecare

West Allis

Wood Ctv

Wisconsin

Unknown Clinics

3.7 (54)

10.2 (36)

4.3 (53)

11.7 (27)

15.1 (10)

237

393

209

114

152

12.726 26.0

5

62.6 (43)

60.0 (48)

51.7 (67)

65.2 (35)

56.7 (59)

62.6

12.7 (45)

15.3 (42)

15.8 (40)

20.2 (36)

21.1 (34)

328

502

277

180

199

17.467 13.2

6



TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1) Wisconsin

Page: Run Date:

(2)

8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

	Comparison	of Breastfeedi	ng, TV Viewing,	, and Smoking	in Household by	/ Clinic	
		Breastfeeding (5)		Exclusive B	reastfeeding (6)	<2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Nation (Prior Year)	1,515,954 58.5	751,259 24.3	869,342 17.7	101,887 13.6	136,891 6.8	343,170 64.7	1,120,034 16.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)			
		Birthweight	(5)			Нє	eight and V	Veight				emia	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low Hb/Hct (8)		
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
16Th St Co	4,372	5.9 (6)	8.8 (47)	19,647	5.8 (70)	3.8 (53)	17.6 (91)	9,689	19.5 (84)	18.9 (87)	14,561	7.7 (43)	
Adams Cty	396	9.6 (77)	6.1 (10)	1,585	6.2 (81)	2.6 (17)	14.0 (74)	706	17.1 (52)	14.9 (76)	1,102	9.1 (53)	
Ashland Ct	378	5.6 (3)	12.4 (84)	1,690	5.6 (58)	5.7 (86)	9.8 (15)	805	7.1 (1)	8.3 (5)	1,296	7.1 (32)	
Aurora	3,935	8.6 (58)	5.5 (8)	10,949	4.4 (25)	8.1 (97)	8.4 (3)	4,397	13.0 (12)	10.1 (18)	6,573	26.0 (96)	
Barron Cty	757	7.3 (25)	9.9 (66)	3,089	6.0 (76)	2.3 (13)	11.9 (46)	1,374	17.7 (66)	13.5 (56)	2,145	6.2 (28)	
Bayfield C	159	6.9 (16)	12.6 (85)	739	4.3 (22)	6.1 (89)	8.9 (7)	374	11.0 (5)	7.5 (2)	567	6.5 (29)	
Beloit	1,547	9.6 (77)	7.2 (20)	5,525	5.6 (58)	4.5 (68)	12.3 (47)	2,357	13.2 (14)	11.3 (27)	3,809	13.6 (80)	
Buffalo Ct	221	7.2 (23)	6.3 (12)	886	4.7 (36)	3.8 (53)	11.1 (24)	398	17.6 (64)	14.6 (70)	587	7.7 (43)	
Burnett Ct	276	9.1 (67)	9.8 (65)	1,136	4.8 (40)	4.5 (68)	8.5 (4)	562	12.8 (10)	10.1 (18)	783	2.3 (2)	
Calumet Ct	434	9.4 (73)	9.2 (56)	1,757	5.5 (53)	3.1 (34)	12.5 (51)	803	18.2 (71)	16.1 (83)	1,270	4.6 (12)	
Chippewa C	982	7.3 (25)	8.5 (41)	4,051	4.4 (25)	4.3 (64)	9.8 (15)	1,930	14.6 (23)	9.9 (14)	2,883	4.5 (11)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 2 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Cty	548	7.8 (32)	10.6 (77)	2,102	5.7 (65)	3.4 (46)	15.6 (83)	910	19.0 (80)	20.7 (91)	1,423	14.0 (81)
Columbia C	576	8.3 (48)	9.9 (66)	2,247	5.6 (58)	3.3 (40)	12.5 (51)	991	17.5 (59)	15.5 (80)	1,537	7.2 (34)
Crawford C	322	8.4 (53)	9.6 (59)	1,167	6.6 (88)	3.1 (34)	11.7 (42)	497	18.9 (79)	12.5 (43)	804	11.4 (66)
Cudahy	1,144	8.7 (60)	8.4 (40)	3,808	4.3 (22)	5.1 (75)	9.4 (12)	1,490	17.7 (66)	13.1 (52)	2,495	11.1 (65)
Dane Cty	1,352	8.0 (39)	9.6 (59)	5,045	4.9 (41)	2.8 (19)	11.2 (27)	2,117	16.2 (43)	12.4 (42)	3,593	9.7 (56)
Dodge Cty	957	8.5 (57)	6.1 (10)	3,804	4.2 (19)	5.5 (84)	8.9 (7)	1,719	11.3 (6)	9.5 (13)	2,802	5.1 (18)
Door Cty	315	5.7 (5)	7.9 (29)	1,307	5.0 (45)	4.4 (66)	11.1 (24)	616	20.3 (88)	13.8 (58)	928	4.4 (10)
Douglas Ct	768	5.9 (6)	10.3 (73)	3,457	4.6 (34)	5.4 (82)	11.1 (24)	1,649	18.3 (74)	13.0 (51)	2,447	15.1 (83)
Dunn Cty	649	6.6 (14)	8.8 (47)	2,691	5.5 (53)	4.1 (59)	12.7 (56)	1,259	16.8 (51)	15.3 (79)	1,860	4.6 (12)
Eau Claire	1,521	8.0 (39)	8.5 (41)	6,187	6.2 (81)	2.1 (9)	11.2 (27)	2,833	15.6 (36)	12.8 (48)	4,447	15.2 (84)
Florence C	63	* *	* *	335	5.1 (46)	1.5 (2)	14.6 (78)	181	12.2 (8)	14.4 (67)	253	9.9 (61)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 3 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	Clinic	(3,4)		
		Birthweight	(5)			He	ight and W	/eight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fond Du La	1,317	9.1 (67)	6.9 (16)	5,274	5.9 (73)	3.0 (27)	8.7 (5)	2,465	15.1 (28)	8.5 (6)	3,731	8.5 (51)
Forest Cty	174	10.3 (80)	8.0 (32)	777	4.5 (28)	3.6 (50)	13.4 (68)	397	15.4 (33)	12.3 (41)	577	4.2 (9)
GLITC-Bad	61	* *	* *	326	3.7 (9)	2.8 (19)	27.0(100)	174	26.4 (97)	32.2 (97)	191	5.2 (19)
GLITC-Bara	39	* *	* *	151	7.3 (97)	5.3 (79)	23.8 (98)	60	* *	* *	101	31.7 (100)
GLITC-BRF	83	* *	* *	344	3.5 (6)	2.9 (22)	22.7 (97)	160	20.6 (89)	25.6 (95)	242	16.9 (88)
GLITC-CEX	20	* *	* *	79	* *	* *	* *	35	* *	* *	59	* *
GLITC-LCO	140	5.0 (2)	15.7 (89)	539	4.1 (17)	2.0 (6)	16.5 (86)	243	18.1 (70)	14.4 (67)	385	7.8 (45)
GLITC-Mole	18	* *	* *	68	* *	* *	* *	30	* *	* *	53	* *
GLITC-Pete	165	9.1 (67)	13.3 (87)	728	3.0 (5)	1.9 (5)	21.3 (94)	360	25.0 (95)	24.4 (94)	514	8.4 (50)
GLITC-Pota	61	* *	* *	224	2.2 (3)	3.6 (50)	17.9 (93)	91	* *	* *	143	22.4 (94)
GLITC-Red	67	* *	* *	298	5.7 (65)	8.7 (99)	21.5 (95)	159	25.8 (96)	26.4 (96)	201	5.0 (16)


- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 4 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			He	ight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC-St.C	43	* *	* *	181	1.7 (1)	6.1 (89)	23.8 (98)	77	* *	* *	139	12.2 (74)
GLITC-Stoc	91	* *	* *	381	4.2 (19)	1.8 (4)	16.0 (85)	168	13.7 (20)	13.7 (57)	273	5.9 (25)
Grant Cty	791	6.1 (10)	10.9 (80)	3,468	3.9 (15)	4.8 (73)	10.7 (20)	1,578	16.2 (43)	13.8 (58)	2,479	5.0 (16)
Green Cty	503	9.5 (74)	9.7 (63)	1,775	7.7 (98)	2.9 (22)	17.1 (89)	692	18.5 (76)	20.8 (92)	1,147	9.8 (58)
Green Lake	239	8.4 (53)	8.8 (47)	963	4.7 (36)	5.1 (75)	12.3 (47)	405	15.3 (29)	9.9 (14)	675	16.0 (87)
Greenfield	272	11.0 (82)	8.8 (47)	873	6.2 (81)	5.6 (85)	7.9 (2)	328	14.9 (26)	7.9 (3)	592	10.5 (63)
Hlth & Nut	2,932	8.4 (53)	7.9 (29)	10,899	6.0 (76)	3.0 (27)	14.1 (76)	4,869	17.2 (54)	14.3 (66)	7,477	10.6 (64)
Iowa Cty	240	8.3 (48)	8.8 (47)	905	6.2 (81)	3.0 (27)	17.8 (92)	365	20.0 (87)	20.5 (90)	619	9.4 (54)
Iron Cty	78	* *	* *	332	4.5 (28)	6.0 (88)	16.9 (88)	161	13.0 (12)	14.9 (76)	240	6.7 (31)
Jackson Ct	353	8.8 (62)	8.8 (47)	1,622	4.9 (41)	3.9 (55)	11.0 (22)	772	19.2 (82)	11.0 (25)	1,168	7.4 (37)
Janesville	1,464	9.7 (79)	10.2 (72)	5,002	6.0 (76)	4.4 (66)	12.4 (50)	2,009	15.7 (38)	12.1 (37)	3,257	7.6 (41)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





Page: 5 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	1,204	6.1 (10)	8.1 (33)	4,872	3.8 (13)	4.2 (62)	11.5 (37)	2,118	16.6 (48)	14.8 (75)	3,407	7.1 (32)
Juneau	499	7.8 (32)	9.6 (59)	2,137	5.1 (46)	3.5 (48)	12.5 (51)	1,003	17.3 (56)	11.4 (31)	1,503	7.4 (37)
Kenosha	2,944	8.9 (64)	7.3 (21)	10,774	7.7 (98)	2.3 (13)	15.1 (80)	4,736	18.0 (69)	15.9 (81)	7,387	16.9 (88)
Kewaunee C	196	7.1 (20)	11.7 (82)	928	5.8 (70)	0.6 (1)	15.2 (81)	434	21.2 (91)	15.2 (78)	682	9.8 (58)
La Crosse	1,625	8.4 (53)	8.6 (44)	6,353	6.8 (92)	3.9 (55)	11.0 (22)	2,837	18.2 (71)	14.1 (63)	4,397	9.6 (55)
Langlade	368	9.5 (74)	12.0 (83)	1,407	4.5 (28)	2.2 (11)	11.4 (34)	596	13.9 (21)	8.6 (7)	1,002	1.7 (1)
Lincoln	347	7.2 (23)	10.7 (79)	1,346	6.0 (76)	2.1 (9)	13.0 (60)	611	17.5 (59)	12.1 (37)	915	2.5 (4)
Madison WI	1,922	8.0 (39)	7.8 (27)	6,826	5.8 (70)	2.5 (15)	14.5 (77)	2,910	13.3 (15)	11.5 (32)	4,826	11.7 (68)
Manitowoc	1,053	8.0 (39)	8.2 (37)	4,251	6.1 (80)	2.6 (17)	13.2 (65)	1,939	19.0 (80)	14.6 (70)	2,991	17.1 (91)
Marathon	1,684	8.2 (45)	7.0 (17)	6,776	8.4(100)	2.0 (6)	13.2 (65)	3,033	17.1 (52)	12.7 (47)	4,844	2.8 (5)
Marinette	670	6.6 (14)	9.3 (57)	3,003	5.6 (58)	3.6 (50)	11.5 (37)	1,424	10.9 (4)	8.7 (8)	2,157	2.4 (3)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 6 Run Date: 8 / 24 / 07

		Cor	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			He	ight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marquette	140	7.1 (20)	7.1 (18)	578	2.4 (4)	9.3(100)	8.7 (5)	261	7.3 (2)	7.3 (1)	391	12.8 (76)
Menominee	296	9.1 (67)	10.1 (71)	1,220	1.9 (2)	1.6 (3)	21.7 (96)	602	23.4 (94)	22.3 (93)	891	2.9 (6)
MilwaukeeJ	1,508	9.1 (67)	8.7 (45)	6,535	4.1 (17)	5.3 (79)	12.7 (56)	3,178	17.5 (59)	14.0 (62)	4,781	17.0 (90)
MilwaukeeK	1,706	13.5 (89)	5.0 (5)	7,462	4.6 (34)	6.3 (93)	11.3 (32)	3,632	15.3 (29)	11.7 (33)	5,460	20.7 (93)
MilwaukeeN	2,820	11.4 (83)	5.4 (7)	10,243	5.9 (73)	6.2 (92)	11.2 (27)	4,503	17.2 (54)	13.3 (54)	7,047	15.5 (86)
MilwaukMLK	2,138	12.5 (87)	4.5 (4)	8,709	5.2 (49)	7.9 (96)	10.4 (18)	4,078	11.8 (7)	7.9 (3)	6,241	29.0 (98)
Monroe Cou	707	7.9 (37)	9.6 (59)	2,615	7.0 (94)	2.9 (22)	14.6 (78)	1,125	15.3 (29)	13.2 (53)	1,728	6.0 (26)
N.E.W. Eas	1,258	7.5 (30)	8.1 (33)	5,066	4.7 (36)	3.3 (40)	13.7 (71)	2,359	19.5 (84)	18.7 (86)	3,717	7.2 (34)
N.E.W. Wes	2,606	8.9 (64)	8.5 (41)	10,943	5.7 (65)	6.1 (89)	11.4 (34)	5,205	12.8 (10)	10.2 (20)	7,950	8.0 (48)
Neenah	1,430	8.3 (48)	7.6 (22)	5,541	5.6 (58)	3.3 (40)	13.5 (69)	2,439	15.0 (27)	12.6 (46)	3,847	15.3 (85)
Oconto Cty	429	11.4 (83)	6.8 (14)	1,675	6.3 (85)	3.4 (46)	17.3 (90)	768	18.6 (77)	16.7 (84)	1,162	11.9 (71)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 7 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Oneida Cty	450	12.2 (86)	7.1 (18)	1,683	4.3 (22)	4.9 (74)	7.7 (1)	722	18.8 (78)	8.9 (9)	1,151	10.4 (62)
Oneida Tri	374	5.6 (3)	16.6 (90)	1,437	4.7 (36)	2.0 (6)	16.7 (87)	653	19.8 (86)	19.3 (88)	993	3.1 (7)
Oshkosh	431	10.9 (81)	7.7 (23)	1,600	6.3 (85)	3.5 (48)	15.3 (82)	640	16.7 (50)	12.5 (43)	1,139	14.0 (81)
Outagamie	1,828	8.8 (62)	7.9 (29)	6,897	6.4 (87)	4.5 (68)	13.3 (67)	3,199	18.2 (71)	15.9 (81)	4,773	7.6 (41)
Ozaukee	351	6.3 (13)	9.1 (54)	1,266	5.1 (46)	4.7 (71)	11.7 (42)	515	13.6 (18)	11.7 (33)	870	9.8 (58)
Pepin	48	* *	* *	243	4.5 (28)	7.4 (95)	15.6 (83)	124	21.0 (90)	20.2 (89)	173	5.8 (24)
Pierce Cty	435	7.4 (29)	10.3 (73)	1,938	5.7 (65)	3.3 (40)	12.8 (58)	911	17.5 (59)	12.1 (37)	1,398	13.0 (78)
Polk Cty	666	9.0 (66)	5.3 (6)	2,471	5.9 (73)	4.0 (58)	9.3 (10)	1,072	14.6 (23)	9.2 (10)	1,604	13.2 (79)
Portage Ct	801	5.9 (6)	10.6 (77)	3,311	6.6 (88)	3.3 (40)	11.4 (34)	1,460	15.9 (42)	12.9 (49)	2,318	8.0 (48)
Price Cty	253	5.9 (6)	9.5 (58)	1,291	3.5 (6)	2.9 (22)	11.5 (37)	662	16.2 (43)	10.6 (22)	985	4.6 (12)
Racine Hea	650	7.8 (32)	7.7 (23)	2,575	4.5 (28)	3.1 (34)	12.3 (47)	1,162	14.5 (22)	11.7 (33)	1,897	17.3 (92)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

Page: 8 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Richland	218	6.9 (16)	12.8 (86)	845	5.6 (58)	3.0 (27)	13.5 (69)	367	22.9 (93)	14.7 (74)	580	12.8 (76)
Rusk Cty	291	7.9 (37)	10.0 (68)	1,403	4.5 (28)	2.9 (22)	11.8 (45)	708	16.4 (46)	11.3 (27)	1,064	5.3 (22)
Sauk Cty	826	7.5 (30)	8.7 (45)	3,375	5.5 (53)	2.8 (19)	12.6 (55)	1,496	19.3 (83)	13.4 (55)	2,332	7.9 (47)
Sawyer Cty	260	6.2 (12)	10.0 (68)	1,176	3.7 (9)	4.1 (59)	9.6 (14)	550	15.5 (35)	9.3 (12)	861	6.5 (29)
Seeds Of H	2,235	7.0 (19)	9.1 (54)	8,805	3.8 (13)	4.1 (59)	11.5 (37)	4,136	18.3 (74)	14.1 (63)	6,208	12.0 (73)
Shawano Ct	535	7.3 (25)	9.7 (63)	2,257	4.0 (16)	3.0 (27)	12.5 (51)	1,072	13.5 (17)	10.5 (21)	1,577	7.4 (37)
Sheboygan	1,612	6.9 (16)	6.8 (14)	5,839	5.7 (65)	6.8 (94)	10.7 (20)	2,591	17.3 (56)	12.5 (43)	4,054	9.7 (56)
St. Croix	759	9.1 (67)	10.5 (76)	2,838	7.0 (94)	2.5 (15)	11.7 (42)	1,225	17.4 (58)	12.1 (37)	1,952	5.2 (19)
SWCAP	149	8.1 (44)	8.1 (33)	564	3.7 (9)	3.9 (55)	13.1 (62)	235	21.3 (92)	14.5 (69)	383	11.7 (68)
Taylor Cty	282	4.3 (1)	10.3 (73)	1,245	3.5 (6)	5.9 (87)	10.0 (17)	585	10.4 (3)	11.3 (27)	890	4.9 (15)
Trempealea	507	7.3 (25)	11.2 (81)	1,993	4.4 (25)	8.3 (98)	11.2 (27)	926	15.4 (33)	10.0 (16)	1,399	11.7 (68)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 9 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicate	ors by C	linic	(3,4)		
		Birthweight	(5)			He	ight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Vernon Cou	430	9.5 (74)	13.7 (88)	1,882	6.7 (90)	4.2 (62)	13.1 (62)	862	16.6 (48)	14.6 (70)	1,267	5.2 (19)
Vilas Cty	168	7.1 (20)	4.2 (2)	599	3.7 (9)	2.2 (11)	13.0 (60)	240	15.8 (41)	14.6 (70)	361	5.5 (23)
Walworth C	1,376	7.8 (32)	8.1 (33)	5,237	5.5 (53)	3.1 (34)	14.0 (74)	2,228	17.5 (59)	17.0 (85)	3,556	7.4 (37)
Washburn C	278	8.3 (48)	8.3 (38)	1,155	5.3 (50)	5.3 (79)	11.3 (32)	539	13.4 (16)	11.3 (27)	778	3.5 (8)
Washington	992	8.3 (48)	7.7 (23)	3,728	4.9 (41)	5.2 (77)	10.5 (19)	1,644	15.7 (38)	10.8 (24)	2,617	8.8 (52)
Waukesha C	2,001	8.0 (39)	7.8 (27)	7,076	5.4 (51)	3.0 (27)	12.8 (58)	2,939	17.6 (64)	13.9 (61)	4,709	6.0 (26)
Waupaca Ct	596	8.2 (45)	7.7 (23)	2,347	4.2 (19)	3.3 (40)	13.8 (72)	1,054	13.6 (18)	12.9 (49)	1,609	7.8 (45)
Waushara	314	8.6 (58)	6.7 (13)	1,232	5.4 (51)	3.2 (39)	13.1 (62)	554	17.7 (66)	14.1 (63)	873	11.9 (71)
Wee Care W	1,696	13.7 (90)	4.2 (2)	6,683	6.7 (90)	5.4 (82)	11.2 (27)	3,056	15.3 (29)	10.7 (23)	4,661	30.5 (99)
Wee Care W	2,727	12.5 (87)	5.9 (9)	10,170	6.8 (92)	4.3 (64)	9.1 (9)	4,308	12.5 (9)	9.2 (10)	6,855	23.0 (95)
Weecare	1,283	12.0 (85)	4.1 (1)	4,922	7.1 (96)	4.7 (71)	9.3 (10)	2,162	15.6 (36)	10.0 (16)	3,512	28.7 (97)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 10 Run Date: 8 / 24 / 07

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
West Allis	919	8.2 (45)	10.0 (68)	3,241	4.9 (41)	5.2 (77)	9.5 (13)	1,383	16.5 (47)	11.2 (26)	2,127	11.4 (66)
Wood Cty	1,088	7.8 (32)	8.9 (53)	3,997	5.5 (53)	3.0 (27)	11.5 (37)	1,786	14.7 (25)	11.7 (33)	2,743	7.3 (36)
Unknown Clinics	2,835	8.7 (60)	8.3 (38)	9,582	5.6 (58)	3.1 (34)	13.9 (73)	4,090	15.7 (38)	13.8 (58)	6,314	12.5 (75)
Wisconsin	89,037	8.6	8.0	344,576	5.5	4.2	12.3	154,902	16.2	13.1	240,337	11.9

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date: 8 / 24 / 07

(2)

			Breastfe (eeding 5)				Exclu	sive B	reastfeed (6)	ing	≤2 Hou Viewin (king in sehold	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Moi	% stfed at ast 3 nths	Numbe	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		% ank)
16Th St Co	4,722	81.3 (2)	3,225	44.5 (1)	3,506	26.0 (6)	2,289	13.1	(36)	2,315	7.9 (21)	4,582	80.7 (42)	8,371	11.5	(1)
Adams Cty	388	56.4 (69)	288	19.8 (71)	281	15.3 (37)	194	9.8	(55)	198	5.1 (46)	318	83.3 (25)	690	38.4	(97)
Ashland Ct	401	67.1 (25)	285	35.1 (8)	302	22.8 (8)	156	25.6	(3)	165	21.8 (1)	392	85.5 (17)	716	23.5	(46)
Aurora	3,646	38.6 (90)	1,849	13.5 (87)	1,944	9.6 (82)	1,236	2.3	(78)	1,234	0.8 (76)	1,844	85.0 (20)	5,070	26.1	(64)
Barron Cty	878	63.7 (40)	568	21.5 (62)	579	13.0 (56)	319	11.0	(49)	307	3.6 (62)	622	82.0 (36)	1,373	21.4	(33)
Bayfield C	176	76.7 (3)	128	41.4 (3)	127	27.6 (4)	68	*	*	67	* *	149	79.2 (52)	324	26.5	(66)
Beloit	1,670	55.2 (72)	1,038	19.7 (72)	1,044	12.8 (57)	566	4.9	(75)	564	2.7 (69)	1,060	87.3 (10)	2,523	17.8	(18)
Buffalo Ct	208	83.7 (1)	131	38.2 (6)	135	26.7 (5)	53	*	*	50	* *	166	82.5 (32)	388	16.8	(15)
Burnett Ct	284	66.5 (28)	164	22.0 (55)	175	9.7 (81)	104	27.9	(1)	92	* *	247	92.7 (1)	501	29.3	(84)
Calumet Ct	485	56.7 (68)	308	20.1 (69)	330	12.4 (62)	181	10.5	(50)	173	4.0 (58)	364	80.8 (41)	783	16.5	(12)
Chippewa C	1,056	67.4 (23)	678	21.5 (62)	673	12.2 (64)	359	12.5	(37)	366	7.4 (24)	799	85.9 (14)	1,754	23.4	(45)
Clark Cty	583	66.9 (26)	384	27.6 (21)	392	18.6 (17)	262	20.2	(13)	252	8.3 (19)	422	82.9 (28)	927	20.4	(28)
Columbia C	655	70.5 (12)	435	22.3 (51)	409	10.3 (77)	226	17.7	(20)	216	7.9 (21)	471	80.5 (43)	1,050	25.5	(60)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 2 Run Date:

(2)

8 / 24 / 07

	Con	nparison	of Bre	astfeedi	ng, TV	Viewing	, and S	Smok	ing	in Hous	sehold by	/ Clinic				
			Breastfe	eeding 5)				Exclus	sive B	reastfeedi (6)	ng	≤2 Hou Viewin (king in sehold	
Clinic	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breas A Lea 3 Mon	stfed t ast s nths	Number	Breastfed At Least 6 Months	Number	%	Number		/ ₆
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Ra	ank)
Crawford C	335	63.9 (38)	214	22.0 (55)	201	19.4 (14)	129	18.6	(19)	123	6.5 (36)	266	82.7 (29)	532	22.4	(41)
Cudahy	1,237	62.7 (45)	713	18.0 (77)	729	10.2 (79)	378	9.0	(58)	372	4.0 (58)	650	76.9 (65)	1,712	27.9	(75)
Dane Cty	2,010	73.2 (7)	1,199	38.9 (4)	1,078	21.3 (11)	706	16.6	(24)	641	10.0 (8)	1,562	76.5 (69)	3,039	16.0	(11)
Dodge Cty	1,085	74.7 (5)	700	28.6 (16)	669	15.2 (41)	400	18.8	(17)	392	9.7 (10)	729	85.6 (16)	1,716	23.6	(47)
Door Cty	338	64.5 (36)	228	21.5 (62)	248	13.3 (52)	135	11.1	(48)	136	6.6 (33)	258	82.6 (30)	553	22.4	(41)
Douglas Ct	851	62.7 (45)	571	23.6 (42)	570	15.4 (36)	336	22.0	(6)	339	8.8 (16)	756	89.4 (5)	1,524	28.1	(77)
Dunn Cty	700	61.7 (53)	438	25.1 (32)	431	14.2 (44)	261	26.4	(2)	245	13.1 (2)	636	75.8 (71)	1,198	18.9	(22)
Eau Claire	1,662	65.9 (31)	1,125	22.9 (48)	1,127	10.9 (72)	676	14.8	(29)	665	8.1 (20)	1,284	79.7 (46)	2,716	22.2	(40)
Florence C	80	* *	59	* *	58	* *	30	*	*	34	* *	79	* *	148	26.4	(65)
Fond Du La	1,451	66.9 (26)	881	25.4 (28)	924	14.0 (45)	572	19.2	(15)	578	9.7 (10)	1,142	82.3 (33)	2,375	13.5	(3)
Forest Cty	171	48.5 (85)	105	15.2 (84)	113	5.3 (89)	80	*	*	71	* *	192	73.4 (78)	316	32.0	(89)
GLITC-Bad	69	* *	54	* *	52	* *	27	*	*	27	* *	80	* *	144	34.0	(92)
GLITC-Bara	43	* *	22	* *	21	* *	14	*	*	12	* *	25	* *	67	*	*

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

3 Page: Run Date: 8 / 24 / 07

((2)		
			_

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing	and S	Smok	king	in Hous	sehold by	Clinic				
			Breastfe (!	eeding 5)				Exclu	sive B	reastfeedi (6)	ng	≤2 Hou Viewing (7)	g/Day		king in sehold	
Clinic	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Brea A Le Mor	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number		%
		(Rank)		(Rank)		(Rank)		(Ra	ınk)		(Rank)		(Rank)		(Ra	ank)
GLITC-BRF	88	* *	58	* *	61	* *	43	*	*	43	* *	78	* *	158	27.8	(74)
GLITC-CEX	20	* *	14	* *	12	* *	8	*	*	6	* *	18	* *	36	*	*
GLITC-LCO	139	50.4 (81)	98	* *	105	21.9 (9)	63	*	*	66	* *	91	* *	240	32.9	(91)
GLITC-Mole	20	* *	14	* *	13	* *	8	*	*	9	* *	18	* *	34	*	*
GLITC-Pete	179	54.2 (76)	126	24.6 (33)	141	16.3 (28)	73	*	*	72	* *	144	74.3 (76)	319	35.4	(95)
GLITC-Pota	64	* *	40	* *	51	* *	24	*	*	23	* *	44	* *	101	30.7	(87)
GLITC-Red	73	* *	48	* *	51	* *	28	*	*	25	* *	73	* *	127	15.7	(10)
GLITC-St.C	73	* *	41	* *	35	* *	27	*	*	25	* *	87	* *	90	*	*
GLITC-Stoc	94	* *	66	* *	71	* *	28	*	*	29	* *	76	* *	160	36.3	(96)
Grant Cty	862	61.7 (53)	624	24.2 (37)	635	13.4 (50)	305	16.1	(27)	325	6.2 (37)	685	87.2 (11)	1,455	22.0	(39)
Green Cty	572	57.7 (64)	369	24.1 (39)	375	17.3 (24)	251	16.3	(25)	237	5.9 (39)	346	85.5 (17)	826	28.1	(77)
Green Lake	298	49.7 (82)	184	28.8 (15)	198	28.8 (3)	94	*	*	95	* *	183	67.8 (86)	442	24.2	(55)
Greenfield	435	64.6 (35)	205	24.4 (35)	190	11.1 (70)	137	11.7	(45)	115	5.2 (44)	337	78.3 (57)	588	18.9	(22)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (5) (7) Clinic Number % Breastfed Breastfed Breastfed Ever Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 12 6 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) Hlth & Nut 2.941 56.3 (70) 1.716 23.4 (44) 1.730 989 8.2 (65)963 1.763 73.5 (77) 4.569 18.5 (18) 4.0(58)21.6 (35) 284 157 19.7 (13) 163 433 Iowa Cty 68.7 (17) 173 25.4 (28) 116 19.0 (16) 111 9.0 (15) 82.2 (34) 26.6 (67) 37 73 59 51 34 Iron Cty 63 123 22.8 (43) Jackson Ct 383 72.6 (8) 242 22.3 (51) 248 15.3 (37) 134 20.9 (9) 139 7.2 (27) 373 85.8 (15) 684 28.4 (82) Janesville 1.630 54.7 (74) 922 17.0 (80) 945 11.1 (70) 515 8.0 (66)486 4.3(56)914 86.0 (13) 2.364 26.7 (68) 1.347 71.5 (9) 996 28.5 (17) 878 15.8 (33) 531 (53)499 7.0 (29) 1.005 83.2 (26) 2.146 Jefferson 10.0 18.5 (21) 532 Juneau 65.6 (33) 368 22.3 (51) 356 13.5 (47) 201 14.4 (31) 215 5.1 (46) 432 84.3 (23) 925 34.2 (93) 12.0 Kenosha 3,238 54.5 (75) 1,669 18.5 (75) 1,779 10.1 (80) 948 (43)918 4.9(50)2,313 79.6 (49) 5,044 23.6 (47) 93 98 Kewaunee C 217 68.2 (20) 164 23.8 (41) 167 16.2 (29) 188 76.6 (66) 391 23.8 (50) 1,785 673 84.7 (21) La Crosse 67.4 (23) 1,162 27.0 (23) 1,129 15.9 (31) 16.2 (26) 678 6.2(37)1,365 2,883 16.8 (15) 395 51.9 (79) 261 18.0 (77) 259 157 (56)289 79.6 (49) Langlade 15.1 (42) 9.6 153 3.3 (64) 615 34.6 (94) 378 Lincoln 54.0 (77) 234 25.6 (27) 207 13.5 (47) 114 25.4 (4) 113 10.6 (6) 281 82.2 (34) 608 29.6 (85) Madison WI 2,720 70.1 (14) 1,552 38.5 (5) 1,399 21.9 (9) 1,142 18.7 (18) 1,081 12.4 (3) 2,152 87.5 (8) 4,026 15.3 (6)



Page:

(2)

Run Date:

8 / 24 / 07

⁽¹⁾ Reporting period is January 1 through December 31.

TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (5) (7) Clinic Number % Breastfed Breastfed Breastfed Ever Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 12 6 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 1.145 56.2 (71) 757 27.2 (22) 798 491 12.2 (39) 481 921 71.0 (82) 1.876 28.1 (77) Manitowoc 20.2 (12) 6.9(30)1,891 54.8 (73) 19.7 (72) 12.5 (59) 604 14.7 (30)1.422 78.1 (59) 3,059 Marathon 1.177 1,117 596 5.5 (41) 20.2 (26) 771 Marinette 45.9 (87) 527 23.1 (47) 567 18.2 (20) 336 5.4 (73)338 3.0 (65) 604 82.6 (30) 1.339 27.9 (75) 157 58.6 (60) 101 36.6 (7) 103 29.1 (2) 46 45 105 76.2 (70) 251 25.5 (60) Marguette 91 * 94 Menominee 318 66.4 (29) 182 25.3 (30) 199 11.6 (68) 305 87.5 (8) 530 27.4 (72) MilwaukeeJ 1.620 62.3 (48) 1.123 21.5 (62) 1.197 635 7.7 (68)636 1.476 69.9 (84) 2.845 11.7 (66) 3.0 (65) 21.7 (37) MilwaukeeK 1,808 39.8 (89) 1,210 10.9 (89) 1,365 6.7 (88) 808 3.0 (77)824 0.6(77)1,455 59.3 (89) 3,108 27.3 (71) 10.7 (73) MilwaukeeN 3,062 44.1 (88) 1,636 14.9 (85) 1,726 823 7.0 (69)799 2.6 (71) 1,937 67.1 (87) 4,639 21.6 (35) MilwaukMLK 2,370 50.5 (80) 1,379 16.8 (81) 1,414 10.4 (76) 696 8.3 (64)696 2.3 (73) 1,866 66.2 (88) 3,831 32.6 (90) Monroe Cou 794 232 7.1 (28) 514 70.8 (11) 477 27.7 (20) 494 17.4 (23) 11.6 (47)226 80.2 (44) 1,211 24.0 (54) N.E.W. Eas 1,746 66.0 (30) 28.3 (19) 18.2 (20) 692 (67)677 1,749 76.6 (66) 2,854 1,115 1,121 7.8 3.5 (63) 12.8 (2) N.E.W. Wes 2,505 57.7 (64) 1,715 22.0 (55) 1,928 14.3 (43) 939 9.5 (57)965 4.5 (55) 1,674 77.5 (62) 4,352 20.2 (26) 754 Neenah 1,348 60.1 (56) 949 21.9 (59) 919 13.4 (50) 591 11.8 (44)591 7.4(24)79.7 (46) 2,265 27.7 (73)



Page:

(2)

Run Date:

8 / 24 / 07

⁽¹⁾ Reporting period is January 1 through December 31.

TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2004 - 2006 Pediatric Nutrition Surveillance (1) Wisconsin

Page: Run Date:

8 / 24 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years $^{(3)}$

(2)

	Con	nparison	of Bre	astfeedi	ng, TV	Viewing	, and S	Smoki	ing	in Hous	sehold by	Clinic				
			Breastfe	eeding 5)				Exclus	sive B	reastfeedi (6)	ng	≤2 Hou Viewin (king in sehold	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breas At Lea 3 Mont (Ran	stfed sst ths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		wnk)
0 . 0	140	. ,	00.4	, ,	004		170	•		474		044		700	•	•
Oconto Cty	446	49.3 (83)	294	19.0 (74)	284	8.5 (84)	178		(63)	174	4.6 (54)	344	75.3 (73)	739		(70)
Oneida Cty	491	63.5 (42)	313	26.2 (26)	288	12.5 (59)	195	20.5	(11)	189	10.1 (7)	300	90.7 (3)	741	23.9	(53)
Oneida Tri	404	61.6 (55)	256	20.7 (68)	284	16.2 (29)	148	8.8	(60)	140	4.3 (56)	310	74.5 (75)	638	27.0	(69)
Oshkosh	740	59.5 (59)	393	21.1 (67)	304	13.2 (54)	297	12.1	(41)	264	5.7 (40)	687	79.2 (52)	991	15.5	(8)
Outagamie	2,013	62.2 (50)	1,212	21.3 (66)	1,314	11.4 (69)	802	13.7	(34)	761	6.6 (33)	1,499	76.6 (66)	3,223	20.0	(25)
Ozaukee	417	65.0 (34)	259	22.0 (55)	266	12.8 (57)	191	20.9	(9)	182	9.3 (12)	276	75.4 (72)	609	20.7	(29)
Pepin	45	* *	26	* *	29	* *	10	*	*	10	* *	59	* *	103	23.3	(44)
Pierce Cty	491	59.7 (58)	337	22.8 (49)	348	10.6 (74)	196	11.7	(45)	191	5.2 (44)	407	86.5 (12)	828	21.5	(34)
Polk Cty	721	69.2 (16)	435	23.4 (44)	443	10.6 (74)	243	17.3	(21)	233	6.9 (30)	434	79.3 (51)	1,092	23.8	(50)
Portage Ct	891	62.6 (47)	570	33.2 (9)	542	24.7 (7)	334	16.8	(23)	315	9.8 (9)	660	88.6 (7)	1,466	16.7	(14)
Price Cty	273	62.3 (48)	207	24.6 (33)	212	13.2 (54)	111	6.3	(70)	117	5.1 (46)	307	84.4 (22)	530	25.3	(59)
Racine Hea	964	48.7 (84)	568	18.3 (76)	544	12.3 (63)	348	4.9	(75)	330	2.4 (72)	860	71.6 (80)	1,538	19.0	(24)
Richland	241	70.1 (14)	145	15.9 (83)	132	8.3 (86)	105	14.3	(32)	105	2.9 (68)	155	77.4 (64)	383	23.8	(50)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 - 7) Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 8 / 24 / 07 Run Date:

(2)

	Con	nparison	of Bre	astfeedi	ng, TV	Viewing	, and S	Smol	king	in Hou	sehold by	/ Clinic				
			Breastfe	eeding 5)				Exclu	sive B	reastfeed (6)	ling	≤2 Hou Viewin (king in sehold	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le () Moi	% stfed t ast 3 nths	Numbe	r % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	,	ank)
Rusk Cty	307	57.7 (64)	226	22.1 (54)	229	18.8 (16)	126	8.7	(61)	131	3.8 (61)	312	83.0 (27)	584	25.9	
Sauk Cty	1,002	75.0 (4)	682	29.9 (13)	621	15.8 (33)	411	21.7	(7)	399	11.3 (4)	652	89.7 (4)	1,604	49.5	(98)
Sawyer Cty	289	63.7 (40)	212	23.6 (42)	199	16.6 (27)	111	9.0	(58)	106	4.7 (52)	249	77.5 (62)	520	25.0	(58)
Seeds Of H	2,432	71.2 (10)	1,519	23.4 (44)	1,670	12.2 (64)	843	10.1	(52)	825	4.7 (52)	1,945	79.9 (45)	3,892	15.6	(9)
Shawano Ct	588	58.5 (62)	393	21.9 (59)	420	11.7 (66)	237	12.2	(39)	236	7.6 (23)	442	83.9 (24)	1,017	28.1	(77)
Sheboygan	1,774	63.0 (43)	1,068	24.2 (37)	1,136	14.0 (45)	819	9.9	(54)	794	5.3 (43)	1,231	77.6 (61)	2,713	21.3	(32)
St. Croix	882	68.5 (18)	549	29.3 (14)	528	15.9 (31)	383	20.4	(12)	350	9.1 (14)	558	73.3 (79)	1,343	18.4	(19)
SWCAP	198	65.7 (32)	113	30.1 (12)	97	* *	75	*	*	76	* *	123	79.7 (46)	286	15.4	(7)
Taylor Cty	321	62.0 (51)	220	21.8 (61)	224	10.3 (77)	112	13.4	(35)	117	5.1 (46)	249	81.5 (38)	546	31.7	(88)
Trempealea	562	64.2 (37)	379	25.3 (30)	383	17.2 (25)	224	12.5	(37)	219	5.5 (41)	435	91.5 (2)	915	16.8	(15)
Vernon Cou	468	70.5 (12)	320	31.3 (10)	328	17.1 (26)	174	16.1	(27)	177	11.3 (4)	417	89.4 (5)	814	14.4	(5)
Vilas Cty	189	61.9 (52)	119	16.8 (81)	107	8.4 (85)	71	*	*	67	* *	115	78.3 (57)	280	25.7	(62)
Walworth C	1,600	74.2 (6)	1,049	30.9 (11)	943	17.7 (22)	604	24.2	(5)	570	8.4 (18)	987	81.9 (37)	2,434	16.5	(12)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

2004 - 2006 Pediatric Nutrition Surveillance (1) Wisconsin

sin
. and Smoking in Household by Clinic (2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

			Breastfe (5	•				Exclu	sive B	reastfeedir (6)	ng	Viewir	urs TV ng/Day (7)		king in sehold	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le S Mor	% stfed it ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number		wnk)
Washburn C	307	63.8 (39)	214	28.5 (17)	211	13.3 (52)	133	17.3	(21)	134	6.7 (32)	243	85.2 (19)	491	20.8	
Washington	1,097	68.3 (19)	670	24.3 (36)	714	15.5 (35)	456	20.0	(14)	446	9.2 (13)	726	81.4 (39)	1,711	21.1	
Waukesha C	2,194	68.2 (20)	1,320	27.0 (23)	1,205	15.3 (37)	767	14.0	(33)	735	8.6 (17)	1,293	78.8 (55)	3,207	18.4	(19)
Waupaca Ct	655	59.8 (57)	392	19.9 (70)	406	13.5 (47)	231	10.4	(51)	221	2.7 (69)	432	81.0 (40)	1,009	28.6	(83)
Waushara	350	58.6 (60)	225	42.7 (2)	219	41.6 (1)	98	*	*	93	* *	238	70.6 (83)	557	21.9	(38)
Wee Care W	1,749	58.4 (63)	1,150	14.9 (85)	1,189	9.0 (83)	663	6.0	(72)	687	1.3 (75)	1,402	69.8 (85)	2,898	30.0	(86)
Wee Care W	2,997	57.1 (67)	1,885	18.0 (77)	1,840	12.5 (59)	1,122	6.1	(71)	1,123	3.0 (65)	1,934	79.2 (52)	4,510	14.3	(4)
Weecare	1,420	48.5 (85)	933	12.9 (88)	903	7.6 (87)	605	5.0	(74)	618	1.5 (74)	996	78.5 (56)	2,280	24.8	(57)
West Allis	999	62.9 (44)	500	24.0 (40)	550	15.3 (37)	315	12.1	(41)	297	7.4 (24)	624	71.6 (80)	1,497	28.3	(81)
Wood Cty	1,158	52.5 (78)	680	22.6 (50)	646	19.2 (15)	356	21.3	(8)	346	6.6 (33)	824	77.9 (60)	1,795	24.5	(56)
Unknown Clinics	1,745	68.0 (22)	1,354	27.0 (23)	1,597	18.3 (19)	603	8.5	(62)	668	4.8 (51)	118	74.6 (74)	2,656	23.6	(47)
Wisconsin	96,979	61.3	60,730	24.3	61,664	14.9	36,177	12.2		35,606	5.9	70,201	79.0	154,497	21.9	9

⁽¹⁾ Reporting period is January 1 through December 31.



8

8 / 24 / 07

Page:

Run Date:

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.